

Erysiphales from the Patagonian Andes, Argentina

by

Maria Havrylenko

Departamento de Botánica, Centro Regional Universitario Bariloche
Universidad Nacional del Comahue
Quintral 1250, (8400) San Carlos de Bariloche, Río Negro, Argentina

With 9 figures

Havrylenko, M. (2001): Erysiphales from the Patagonian Andes, Argentina. - Nova Hedwigia 72: 409-418.

Abstract: Six interesting species of powdery mildews were collected in the Patagonian Andes of Argentina. *Erysiphe myzodendri*, new to Argentina, has been collected on a new host. *Erysiphe syringae* is new to Patagonia, and the endemic species *Macrachaenium gracile* is a new host of *Golovinomyces cichoracearum*.

Resumen: En la región Andino-Patagónica de Argentina fueron coleccionados seis interesantes oídios. *Erysiphe myzodendri* es cita nueva para Argentina y fue coleccionado sobre un nuevo hospedante. *Erysiphe syringae* es cita nueva para la Patagonia y *Macrachaenium gracile* es un nuevo hospedante de *Golovinomyces cichoracearum*.

Key words: Ascomycetes, Erysiphales, *Erysiphe*, *Golovinomyces*, Argentina.

Introduction

New collections of *Erysiphe hyperici*, *E. myzodendri*, *E. syringae*, *E. trifolii*, *Golovinomyces* cf. *cichoracearum* and *G.* cf. *valerianae* from the Patagonian Andes of Argentina are recorded in the present paper. The methods used have been previously described (Havrylenko 1995).

The taxonomy and nomenclature of the Erysiphales are based on Braun (1999), and Braun & Takamatsu (2000). To define the morphology of edge lines of catenate immature conidia the methods and criteria of Shin & La (1993) were used. The material studied is deposited at BCRU.